

Scientific Literature Bibliography

GORE SEAMGUARD® Bioabsorbable Staple Line Reinforcement



Bariatric

Sleeve Gastrectomy – Linear Surgical Staplers

Ramon J, Puig S, Pera M, Jimane J, Membrilla E, Poves I, Grande L. Abstract Presented at the 3rd Congress of the International Federation for the Surgery of Obesity and metabolic disorders - European Chapter (IFSO-EC); April 17-19, 2008; Capri, Italy. Abstract 136.

Reijnen N, Slotboom Ch. Abstract Presented at the 3rd Congress of the International Federation for the Surgery of Obesity and metabolic disorders - European Chapter (IFSO-EC); April 17-19, 2008; Capri, Italy. Abstract 137.

AM3031-EN1 Chiasson PM, Burpee SE. Laparoscopic vertical sleeve gastrectomy: efficacy of using Bioabsorbable Seamguard. Abstract presented at the 25th Annual American Society for Metabolic & Bariatric Surgery Meeting (ASMBS); June 15-20, 2008; Washington, DC. *Surgery for Obesity & Related Diseases* 2008;4(3):332-333. Abstract P54.

Parikh M, Gagner M, Heacock L, Strain G, Dakin G, Pomp A. Laparoscopic sleeve gastrectomy: does bougie size affect mean % EWL? Short-term outcomes. *Surgery for Obesity & Related Diseases* 2008;(4):528-533.

Rubin M, Yehoshua RT, Stein M, *et al.* Laparoscopic sleeve gastrectomy with minimal morbidity early results in 120 morbidly obese patients. *Obesity Surgery* 2008; 18(12):1567-1570.

Saber AA, Elgamil MH, Itawi EA, Rao AJ. Single incision laparoscopic sleeve gastrectomy (SILS): a novel technique. *Obesity Surgery* 2008;18(10):1338-1342.

Yang OO, Loi K, Liew V, Talbot M, Jorgensen J. Staged Laparoscopic sleeve gastrectomy followed by Roux-en-Y gastric bypass for morbidly obese patients: a risk reduction strategy. *Obesity Surgery* 2008;18(12):1575-1580.

Deitel M, Crosby RD, Gagner M. The first International Consensus Summit for Sleeve Gastrectomy (SG), New York City, October 25-27, 2007. *Obesity Surgery* 2008; 18(5):487-496.

Nocca D, Krawczykowsky D, Bomans B, *et al.* A prospective multicenter study of 163 sleeve gastrectomies: results at 1 and 2 years. *Obesity Surgery* 2008;18(5):560-565.

Lee CM, Cirangle PT, Jossart GH. Vertical gastrectomy for morbid obesity in 216 patients: report of two-year results. *Surgical Endoscopy* 2007;21(10):1810-1816.

Ueda K, Gagner M, Milone L, Bardaro SJ, Gong K. Sleeve gastrectomy with wrapping using polytetrafluoroethylene to prevent gastric enlargement in a porcine model. *Surgery for Obesity & Related Diseases* 2008;34(2):84-90.

Sánchez-Pernaute A, Rodríguez R, Rubio MA, *et al.* Gastric tube volume after duodenal switch and its correlation to short-term weight loss. *Obesity Surgery* 2007;17(9): 1178-1182.

Weiner RA, Weiner S, Pomhoff I, Jacobi C, Makarewicz W, Weigand G. Laparoscopic sleeve gastrectomy – influence of sleeve size and resected gastric volume. *Obesity Surgery* 2007;17(10):1297-1305.

Catheline JM, Charara M, Perez M, Cohen R, Reach G, Benichou J. Laparoscopic sleeve gastrectomy for morbid obesity using SEAMGUARD Bioabsorbable StapleLine Reinforcement. Abstract presented at the 13th International Congress of the European Association for Endoscopic Surgery and Other Interventional Techniques (E.A.E.S.); June 14, 2005; Venice Lido, Italy. *Surgical Endoscopy* 2006;20(Supplement 1):S215.

RP1155 Consten ECJ, Gagner M, Pomp A, Inabnet WB. Decreased bleeding after laparoscopic sleeve gastrectomy with or without duodenal switch for morbid obesity using a stapled buttressed absorbable polymer membrane. *Obesity Surgery* 2004;14(10):1360-1366.

Bariatric

Internal Hernias – Linear Surgical Staplers

RP1428 Ahmed AR, Rickards G, Husain S, Johnson J, O'Malley W, Boss T. Bioabsorbable glycolide copolymer staple-line reinforcement decreases internal hernia rate after laparoscopic Roux-en-Y gastric bypass. *Obesity Surgery* 2008;18(7):797-802.

AL2930-EN1 Allemang MT, Renton DB, Narula VK, *et al.* Internal hernias after laparoscopic Roux-en-Y gastric bypass are prevented with Bioabsorbable Seamguard Material. Poster presented at the 2007 Scientific Session of the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES); April 18-22, 2007; Las Vegas, NV.

AP1278 Baker RS, Kempter PR, Foote JA. Reducing the risk of internal hernias and small bowel obstruction in Roux-en-Y gastric bypass surgery utilizing antecolic limb placement and buttressing material. Abstract presented at the 4th International Alpine Obesity Surgery Expert Meeting; March 12-15, 2006; Saalfelden, Austria. *Obesity Surgery* 2006;16(2):213-214.

Bariatric

Complications of Bovine Pericardium – Linear Surgical Staplers

RP1380 Yu S, Jastrow K, Clapp B, *et al.* Foreign material erosion after laparoscopic Roux-en-Y gastric bypass: findings and treatment. *Surgical Endoscopy* 2007;21(7):1216-1220.

RP1103 Consten ECJ, Dakin GF, Gagner M. Intraluminal migration of bovine pericardial strips used to reinforce the gastric staple line in laparoscopic bariatric surgery. *Obesity Surgery* 2004;14(4):549-554.

Yu S, Scarborough T, Wilson E. Staple line reinforcement in laparoscopic roux-en-y gastric bypass: Seamguard or Peristrips? Poster presented at the 2007 Scientific Session of the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES); April 18-22, 2007; Las Vegas, NV. *Surgical Endoscopy* 2007;21(Supplement 1):S377.

Yu SC Jastrow K, Klein C, Clapp B, Scarborough T, Wilson E. Foreign material erosion after laparoscopic Roux-en-Y gastric bypass: findings and treatment. Oral presentation at the 2006 Scientific Session of the Society of American Gastrointestinal and Endoscopic Surgeons (SAGES); April 26-29, 2006; Dallas, TX. *Surgical Endoscopy* 2006;20 (Supplement 1):S257.

Bariatric

Linear Surgical Staplers

Basu NN, Leschinsky D, Heath DI. The use of Seamguard® to buttress the suture repair of a staple line leak following laparoscopic gastric bypass for obesity. *Obesity Surgery* 2008;18(7):896-897.

Bonilauri S, Cartelli C, Barbieri M, *et al.* Use of bioabsorbable staple line reinforcement material in laparoscopic bariatric surgery. Abstract presented at the 3rd Congress of the International Federation for the Surgery of Obesity and Metabolic Disorders-European Chapter (IFSO-EC); April 17-19, 2008; Capri, Italy. Abstract 130.

Madan AK, Dhawan N, Ternovits CA, Tichansky DS. Laparoscopic repair of a staple-line disruption after an open uncut Roux-en-Y gastric bypass. *Obesity Surgery* 2008;18(3):340-344.

Saber AA, Scharf KR, Turk AZ, Elgamil MH, Martinez RLMC. Early experience with intraluminal reinforcement of stapled gastrojejunostomy during laparoscopic Roux-en-Y gastric bypass. *Obesity Surgery* 2008;18(5):525-529.

Sarela AI. Entirely laparoscopic radical gastrectomy for adenocarcinoma: lymph node yield and resection margins. *Surgical Endoscopy* 2009;23(1):153-160.

Shang E, Hasenberg T, Magdeburg R, Keese M, Weiner R. First experiences with a circular stapled gastro-jejunostomy by a new transorally introducible stapler system in laparoscopic Roux-en-Y gastric bypass. *Obesity Surgery* 2009;19(2):230-236.

RP1386 Miller KA, Pump A. Use of bioabsorbable staple reinforcement material in gastric bypass: a prospective randomized clinical trial. *Surgery for Obesity & Related Diseases* 2007;3(4):417-422.

Rodríguez Velasco G, Mendía Conde E, Peromingo Fresneda R, *et al.* Use of Seamguard in laparoscopic gastric bypass to decrease postsurgical bleeding. Abstract presented at the 9th SECO Congress (Spanish Society for the Surgery of Obesity); March 7-9, 2007; Getafe-Madrid.

RP1345 Yo LSF, Consten ECJ, Quarles van Ufford HME, Gooszen HG, Gagner M. Buttressing of the staple line in gastrointestinal anastomoses: overview of new technology designed to reduce perioperative complications. *Digestive Surgery* 2006;23(5-6):283-291.

RP1247 The role of GORE SEAMGUARD® Staple Line Reinforcement Material in general surgery. [Special Report]. *General Surgery News* 2005;32(10):1-4.

RP1232 Nguyen NT, Longoria M, Welbourne S, Sabio A, Wilson SE. Glycolide copolymer staple-line reinforcement reduces staple site bleeding during laparoscopic gastric bypass. A prospective randomized trial. *Archives of Surgery* 2005;140(8):773-778.

RP1183 Nguyen NT, Longoria M, Chalifoux S, Wilson SE. Bioabsorbable staple line reinforcement for laparoscopic gastrointestinal surgery. *Surgical Technology International* 2005;XIV:107-111.

RP1161 Nguyen NT, Longoria M, Chalifoux S, Wilson SE. Gastrointestinal hemorrhage after laparoscopic gastric bypass. *Obesity Surgery* 2004;14(10):1308-1312.

RP1154 Baker RS, Foote J, Kempter P, Brady R, Vroegop T, Serveld M. The science of stapling and leaks. *Obesity Surgery* 2004;14(10):1290-1298.

RP1111 Consten ECJ, Gagner M. Staple line reinforcement techniques with different buttressing materials used for laparoscopic gastrointestinal surgery: a new strategy to diminish perioperative complications. *Surgical Technology International* 2004;XIII:59-63.

Baker R, Foote J, Kemmeter P, Brady R, Vroegop T, Seerveld M. A comparison of leak pressures for reinforced vs unreinforced staple-lines in the pressure stomach model using a bioabsorbable buttressing material. Abstract presented at the IFSO World Congress; September 8-11, 2004; Tokyo, Japan. *Obesity Surgery* 2004;14(7):908.

Bariatric Circular Surgical Staplers

Hope WW, Zerey M, Schmelzer TM, *et al.* A comparison of gastrojejunal anastomoses with or without buttressing in a porcine model. *Surgical Endoscopy*; in press.

RP1434 Jones WB, Myers KM, Traxler LB, Bour ES. Clinical results using bioabsorbable staple line reinforcement for circular staplers. *American Surgeon* 2008; 74(6): 462-468.

Colon Resection Linear Surgical Staplers

RP1356 de la Portilla F, Zbar AP, Rada R, *et al.* Bioabsorbable staple-line reinforcement to reduce staple-line bleeding in the transection of mesenteric vessels during laparoscopic colorectal resection: a pilot study. *Techniques in Coloproctology* 2006;10(4):335-338.

RP1309 Franklin ME, Glass JL, Trevino JM, Arellano PP, Abrego-Medina D. Laparoscopic colorectal surgery and the use of staple line reinforcement materials. Abstract presented at the 13th International Congress of the European Association for Endoscopic Surgery and Other Interventional Techniques. (E.A.E.S.); June 1-4, 2005; Venice Lido, Italy. *Surgical Endoscopy* 2006;20(Supplement 1):S35.

Franklin ME Jr, Arellano PP, Trevino JM. Posters of Distinction presented at the 2005 Scientific Session of the Society of American Gastrointestinal Endoscopic Surgeons (SAGES) Meeting; April 13-16, 2005; Fort Lauderdale, FL. *Surgical Endoscopy* 2005;19(Supplement 1):S206.

RP1165 Franklin ME Jr, Berghoff KE, Arellano PP, Trevino JM, Abrego-Medina D. Safety and efficacy of the use of bioabsorbable "Seamguard" in colorectal surgery at the Texas Endosurgery Institute. *Surgical Laparoscopy, Endoscopy & Percutaneous Techniques* 2005;15(1):9-13.

Colon Resection Circular Surgical Staplers

Franklin JR, Portillo G, Glass JL, Gonzalez J Jr. The use of bioabsorbable staple line reinforcement for circular stapler (BSG "Seamguard") in colorectal surgery. Poster presented at the 15th International Congress of the European Association for Endoscopic Surgery (EAES); July 4-7, 2007; Athens, Greece. *Surgical Endoscopy* 2008;22(Supplement 1):S75. Abstract P186.

RP1342 Franklin M. The use of bioabsorbable staple line reinforcement for circular stapler (BSG "Seamguard") in colorectal surgery. Initial experience. *Surgical Laparoscopy Endoscopy & Percutaneous Techniques* 2006;16(6):411-415.

Lung Resection Linear Surgical Staplers

Abunasra H, Oey I, Simpson L, Solly S, Martin-Ucar A, Waller DA. Reducing airleaks in lung volume reduction surgery: is there a difference between two different buttresses? Abstract presented at the 16th European Conference on General Thoracic Surgery; June 8-11, 2008; Bologna, Italy. *Interactive CardioVascular & Thoracic Surgery* 2008;7(Supplement 2):S156.

RP1442 Congregado M, Merchan RJ, Gallardo G, Ayarra J, Loscertales J. Video-assisted thoracic surgery (VATS) lobectomy: 13 years' experience. *Surgical Endoscopy* 2008;22(8):1852-1857.

Sakamoto K, Takei H, Nishii T, *et al.* Staple line coverage with absorbable mesh after thoracoscopic bullectomy for spontaneous pneumothorax. *Surgical Endoscopy* 2004;18(3):478-481.

Allen MS, Wood DE, Hawkinson RW, *et al.* Prospective randomized study evaluating a biodegradable polymeric sealant for sealing intraoperative air leaks that occur during pulmonary resection. *Annals of Thoracic Surgery* 2004;77(5):1792-1801.

Vaughn CC, Wolner E, Dahan M, *et al.* Prevention of air leaks after pulmonary wedge resection. *Annals of Thoracic Surgery* 1997;63(3):864-866.

Lung Resection Complications of Bovine Pericardium – Linear Surgical Staplers

RP1162 Iwasaki A, Yoshinaga Y, Shirakusa T. Successful removal of bovine pericardium by bronchoscope after lung volume reduction surgery. *Annals of Thoracic Surgery* 2004;78(6):2156-2157.

RP1119 Oey IF, Jeyapalan K, Entwisle JJ, Waller DA. Pseudo tumors of the lung after lung volume reduction surgery. *Annals of Thoracic Surgery* 2004;77(3):1094-1096.

RP1071 Provencher S, Deslauriers J. Late complication of bovine pericardium patches used for lung volume reduction surgery. *European Journal of Cardio-thoracic Surgery* 2003;23(6):1059-1061

RP1089 Shamji MF, Maziak DE, Shamji FM, Matzinger FR, Perkins DG. Surgical staple metalloptysis after apical bullectomy: a reaction to bovine pericardium? *Annals of Thoracic Surgery* 2002;74(1):258-261.

Distal Pancreatectomy Linear Surgical Staplers

RP1365 Jimenez RE, Mavanur A, Macaulay WP. Staple line reinforcement reduces postoperative pancreatic stump leak after distal pancreatectomy. *Journal of Gastrointestinal Surgery* 2007;11(3):345-349.

RP1366 Thaker RI, Matthews BD, Linehan DC, Strasberg SM, Eagon JC, Hawkins WG. Absorbable mesh reinforcement of a stapled pancreatic transection line reduces the leak rate with distal pancreatectomy. *Journal of Gastrointestinal Surgery* 2007;11(1):59-65.

Pugliese R, Maggioni D, Sansonna F, *et al.* Laparoscopic distal pancreatectomy. A retrospective review of 14 cases. *Surgical Laparoscopy, Endoscopy & Percutaneous Techniques* 2008;18(3):254-259.

Rotellar F, Pardo F, Montiel C, *et al.* Totally laparoscopic Roux-en-Y duct-to-mucosa pancreaticojejunostomy after middle pancreatectomy. A consecutive nine-case series at a single institution. *Annals of Surgery* 2008;247(6):938-944.

Kokkalera UP, Chavda KA, Ghellai A. Laparoscopic spleen sparing distal pancreatectomy. Abstract presented at the 10th World Congress of Endoscopic Surgery, 14th International Congress of the European Association for Endoscopic Surgery (E.A.E.S.); September 13-16, 2006; Berlin, Germany. Video presentations. *Surgical Endoscopy* 2007;21(Supplement 1):S288.

Consten ECJ, Gagner M. Staple line reinforcement in laparoscopic distal pancreatectomy diminishes pancreatic duct leak and haemorrhage. Video abstract presented at the 13th International Congress of the European Association for Endoscopic Surgery and other Interventional Techniques (E.A.E.S.); June 1-4, 2005; Venice Lido, Italy. *Surgical Endoscopy* 2006;20(Supplement 1):S244.

Consten EC, Gagner M, Milone L, Bardaro S. Reducing pancreatic duct leak and hemorrhage during laparoscopic distal pancreatectomy and partial splenectomy using staple line reinforcement with an absorbable polymer membrane. Abstract presented at the 6th World Congress of the International Hepato-Pancreato-Biliary Association; June 2-6, 2004; Washington, DC. HPB 2004;6(Supplement 1):34.

Mavanur A, Takata M, Macaulay WP, Orlando III R, Piorkowski R, Jimenez RE. Staple line reinforcement reduces postoperative pancreatic stump leak after distal pancreatectomy. Abstract presented at the 87th Annual Meeting of the New England Surgical Society; September 15-17, 2006; Groton, CT.

Melotti G, Butturini G, Piccoli M, *et al.* Laparoscopic distal pancreatectomy results on a consecutive series of 58 patients. *Annals of Surgery* 2007;246(1):77-82.

Appendectomy Linear Surgical Staplers

RP1357 Tucker JG, Copher JC, Reilly JP, Fitzsimmons TR. The use of Bioabsorbable Seamguard during laparoscopic appendectomy. *Surgical Laparoscopy, Endoscopy & Percutaneous Techniques* 2007;17(2):83-85.

W. L. GORE & ASSOCIATES, INC.

Flagstaff, AZ 86004

+65.67332882 (Asia Pacific)

00800.6334.4673 (Europe)

800.437.8181 (United States)

928.779.2771 (United States)

goremedical.com

Products listed may not be available in all markets pending regulatory clearance.
Articles describe indications that may not be approved in the United States and/or other nations worldwide.
GORE, GORE-TEX®, SEAMGUARD®, and designs are trademarks of W. L. Gore & Associates.
Peri-Strips® is a registered trademark of Synovis® Surgical Innovations, a division
of Synovis Life Technologies, Inc.
©2009 W. L. Gore & Associates, Inc. AM3030-EN1 MARCH 2009