



▶ SELECTED PUBLICATIONS



FLOW
REVERSAL

SYSTEM

Large Case Experience

Clair DG, Hopkins LN, Mehta M, *et al*; EMPIRE Clinical Study Investigators. Neuroprotection during carotid artery stenting using the GORE® Flow Reversal System: 30-Day outcomes in the EMPIRE clinical study. *Catheterization & Cardiovascular Interventions* 2011;77(3):420-429.

Hornung M, Franke J, Wunderlich N, *et al*. GORE Flow Reversal european multicenter study results. Abstract presented at the American Heart Association Scientific Sessions; November 15-18, 2009; Orlando, FL. *Circulation* 2009;120(Supplement):S955.

Pieniasek P, Musialek P, Kablak-Ziembicka A, *et al*. Carotid artery stenting with patient- and lesion-tailored selection of the neuroprotection system and stent type: early and 5-year results from a prospective academic registry of 535 consecutive procedures (TARGET-CAS). *Journal of Endovascular Therapy* 2008;15(3):249-262.

Parodi JC, Schönholz C, Parodi FE, Sicard G, Ferreira LM. Initial 200 cases of carotid artery stenting using reversal-of-flow cerebral protection device. *Journal of Cardiovascular Surgery* 2007;48(2):117-124.

Rabe K, Sugita J, Gödel H, Sievert H. Flow-reversal device for cerebral protection during carotid artery stenting-accurate and long-term results. *Journal of Interventional Cardiology* 2006;19(1):55-62.

Adami CA, Scuro A, Spinamano L, *et al*. Use of the Parodi Anti-Embolic System in carotid stenting: Italian trial results. *Journal of Endovascular Therapy* 2002;9(2):147-154.

Ohki T, Veith FJ, Grenell S, *et al*. Initial experience with cerebral protection devices to prevent embolization during carotid artery stenting. *Journal of Vascular Surgery* 2002;36(6):1175-1185.

Parodi JC, Ferreira LM, Lamura R, Sicard G. Results of the first 200 cases of carotid stents using the Arteria device. *Journal of Endovascular Therapy* 2005;12(Supplement 1):150.

Parodi JC, Bates MC, Schönholz C, *et al*. International multi-center Parodi Anti-Embolic System (ACT/DBI, Santa Clara, California, USA) study: preliminary results. *American Journal of Cardiology* 2000;86(Supplement 8A):34i.

Parodi JC, Bates MC. Intracranial cerebrovascular flow control during mechanical treatment of ischemic stroke. *Stroke* 2003;34(1):308.

Case Studies

Carotid embolic protection. *Endovascular Today* 2009;8(11)Supplement:3-31.

Clair DG, Gray WA, Hopkins N. The state of carotid embolic protection and the role of flow reversal. *Endovascular Today* 2009;8(11)Supplement:3-15.

Macdonald S, Katzen BT, Schönholz C. Microembolization: the achilles' heel of CAS? *Endovascular Today* 2009;8(11)Supplement:16-21.

Mehta M, Taggart JB, Sternbach Y, *et al*. The Albany Vascular Group experience. *Endovascular Today* 2009;8(11)Supplement:22-25.

Kasirajan K, Brewster L. The Emory experience. *Endovascular Today* 2009;8(11)Supplement:26-30.

Ansel G. Stroke prevention in carotid artery stenting. *Endovascular Today* 2009;8(11)Supplement:31.

Pieniasek P, Musialek P, Dzierwa K, *et al*. Flow reversal for proximal neuroprotection during endovascular management of critical symptomatic carotid artery stenosis coexisting with ipsilateral external carotid artery occlusion. *Journal of Endovascular Therapy* 2009;16(6):744-751.

Grunwald IQ, Papanagiotou P, Struffert T, *et al*. Reversal of flow during carotid artery stenting: use of the Parodi Antiembolism System. *Neuroradiology* 2007;49(3):237-241.

Parodi JC, Schönholz C, Ferreira LM, Mendaro E, Ohki T. "Seat belt and air bag" technique for cerebral protection during carotid stenting. *Journal of Endovascular Therapy* 2002;9(1):20-24.

Parodi JC, Rubin BG, Azizzadeh A, Bartoli M, Sicard GA. Endovascular treatment of an internal carotid artery thrombus using reversal of flow: a case report. *Journal of Vascular Surgery* 2005;41(1):146-150.

Terada T, Yamaga H, Tsumoto T, Masuo O, Itakura T. Use of an embolic protection system during endovascular recanalization of a totally occluded cervical internal carotid artery at the chronic stage. *Journal of Neurosurgery* 2005;102(3):558-564.

Pieniasek P, Musialek P, Motyl R, *et al.* Use of the Parodi Anti-Emboli System and transient subclavian steal for cerebral protection during emergent vertebral artery recanalization. *Journal of Endovascular Therapy* 2004;11(4):511-516.

Sievert H, Rabe K, Rubel C, *et al.* Prevention of embolic complications during carotid angioplasty: flow reversal technique. *Stroke* 2003;34(1):307-308.

Schönholz C, Mendaro E, Parodi JC, D'Agostino H. Parodi Antiembolism Catheter: initial experience in vertebral artery percutaneous transluminal angioplasty and stenting. *American Journal of Cardiology* 2002;90(Supplement 6A):60H.

Sievert H, Rabe K, Pfeil W, *et al.* Carotid angioplasty: initial experience with the flow reversal technique for prevention of embolic complications. *European Heart Journal* 2002;23(Supplement.):714.

Sievert H, Rabe K, Pfeil W, Rubel C, Theis R, Beykirch KF. Flow-reversal technique for prevention of embolic complications during carotid angioplasty. *American Journal of Cardiology* 2002;90(Supplement 6A):32H.

Ohki T, Parodi J, Veith FJ *et al.* Efficacy of a proximal occlusion catheter with reversal of flow in the prevention of embolic events during carotid artery stenting: an experimental analysis. *Journal of Vascular Surgery* 2001;33(3):504-509.

Microemboli

Gupta, The incidence of microembolization to the brain is less with CEA than with percutaneous revascularization with distal filters or flow reversal, *JVS*, 2011, 53:316-322.

Garami ZF, Bismuth J, Charlton-Ouw K, Daview MG, Peden EK, Lumsden AB. Feasibility of simultaneous pre- and postfilter transcranial Doppler monitoring during carotid artery stenting. *Journal of Vascular Surgery* 2009;49(2):340-345.

Asakura F, Kawaguchi K, Sakaida H, *et al.* Diffusion-weighted MR imaging in carotid angioplasty and stenting with protection by the reversed carotid arterial flow. *AJNR. American Journal of Neuroradiology* 2006;27(4):753-758.

Rapp JH, Zhu L, Hollenbeck K, *et al.* Distal filtration versus flow reversal: an ex vivo assessment of the choices for carotid embolic protection. *Journal of Vascular Surgery* 2009;49(5):1181-1188.

Macdonald S. Is there any evidence that cerebral protection is beneficial? Experimental data. *Journal of Cardiovascular Surgery* 2006;47(2):127-136.

Device Comparisons / Competitive

Parodi JC, La Mura R, Ferreira LM, *et al.* Initial evaluation of carotid angioplasty and stenting with three different cerebral protection devices. *Journal of Vascular Surgery* 2000;32(6):1127-1136.

Schönholz CJ, Uflacker R, Mendaro E, *et al.* Techniques for carotid artery stenting under cerebral protection. *Journal of Cardiovascular Surgery* 2005;46(3):201-207.

Bosiers M, Peeters P, Deloosse K, *et al.* Does carotid artery stenting work on the long run: 5-years results in high-volume centers (ELOCAS Registry). *Journal of Cardiovascular Surgery* 2005;46(3):241-247.

Parodi JC, La Mura R, Ferreira LM, *et al.* Initial evaluation of carotid angioplasty and stenting with three different cerebral protection devices. *Journal of Vascular Surgery* 2000;32(6):1127-1136.

Parodi JC. Is flow reversal the best method of protection during carotid stenting? *Journal of Endovascular Therapy* 2005;12(2):166-170.

Ohki T, Veith FJ. Carotid stenting with and without protection devices: should protection be used in all patients? *Seminars in Vascular Surgery* 2000;13(2):144-152.

Animal Studies

Bates MC, Dorros G, Parodi J, Ohki T. Reversal of the direction of internal carotid artery blood flow by occlusion of the common and external carotid arteries in a swine model. *Catheterization & Cardiovascular Interventions* 2003;60(2):270-275.

Supporting Literature

Device Comparisons / Competitive

Gray WA, Hopkins LN, Katzen BT, Macdonald S, Veith FJ. Perspectives on the current state of major carotid revascularization trials. *Endovascular Today* 2010;10(20):74-83.

Finol EA, Siewiorek GM, Scotti CM, Wholey MH, Wholey MH. Wall apposition assessment and performance comparison of distal protection filters. *Journal of Endovascular Therapy* 2008;15(2):177-185.

Milošević ZV, Kocijan I, Bunc M, Bajrović FF, Zvan B. Dual cerebral protection technique during carotid stenting. *Journal of Endovascular Therapy* 2007;14(1):86-90.

Coppi G, Moratto R, Silingardi R, et al. PRIAMUS – proximal flow blockage cerebral protection during carotid stenting: results from a multicenter Italian registry. *Journal of Cardiovascular Surgery* 2005;46(3):219-227.

Reimers B, Sievert H, Schuler GC, et al. Proximal endovascular flow blockage for cerebral protection during carotid artery stenting: results from a prospective multicenter registry. *Journal of Endovascular Therapy* 2005;12(2):156-165.

Schmidt A, Diederich KW, Scheinert S, et al. Effect of two different neuroprotection systems on microembolization during carotid artery stenting. *Journal of the American College of Cardiology* 2004;44(10):1966-1969.

Microemboli

Gossetti B, Gattuso R, Irace L, et al. Embolism to the brain during carotid stenting and surgery. *Acta Chirurgica Belgica* 2007;107(2):151-154.

Kastrup A, Nägele T, Gröschel K, et al. Incidence of new brain lesions after carotid stenting with and without cerebral protection. *Stroke* 2006;37(9):2312-2316.


Flach HZ, Ouhlous M, Hendriks JM, et al. Cerebral ischemia after carotid intervention. *Journal of Endovascular Therapy* 2004;11(3):251-257.

Rapp JH, Pan XM, Yu B, et al. Cerebral ischemia and infarction from atheroemboli <100 µm in size. *Stroke* 2003;34(8):1976-1980.

Vermeer SE, Prins ND, den Heijer T, Hofman A, Koudstaal PJ, Breteler MM. Silent brain infarcts and the risk of dementia and cognitive decline. *New England Journal of Medicine* 2003;348(13):1215-1222.

Ackerstaff RGA, Moons KGM, van de Vlasakker CJW, et al. Association of intraoperative transcranial doppler monitoring variables with stroke from carotid endarterectomy. *Stroke* 2000;31(8):1817-1823.

Pugsley W, Klinger L, Paschalis C, Treasure T, Harrison M, Newman S. The impact of microemboli during cardiopulmonary bypass on neuropsychological functioning. *Stroke* 1994;25(7):1393-1399.

INDICATIONS FOR USE: The GORE® Flow Reversal System is intended to provide embolic protection during carotid artery angioplasty and stenting for the patients diagnosed with carotid artery stenosis and who have appropriate anatomy as described in the *Instructions for Use*. Refer to the *Instructions for Use* at goremedical.com for contraindications, warnings and precautions.  Only

Products listed may not be available in all markets.
GORE®, PERFORMANCE BY DESIGN and designs are trademarks of W. L. Gore & Associates.
© 2011 W. L. Gore & Associates, Inc. AM1131-EN3 MARCH 2011



W. L. GORE & ASSOCIATES, INC.
Flagstaff, AZ 86004

+65.67332882 (Asia Pacific)
00800.6334.4673 (Europe)
800.437.8181 (United States)
928.779.2771 (United States)

goremedical.com