

GORE® TAG® Thoracic Branch Endoprosthesis (TBE)

COMPLEX AORTIC ARCH REPAIR, EXPANDED

TBE IS APPROVED FOR ZONES 0-2

The off-the-shelf, single branch device physicians trust for Zone 2 branched TEVAR procedures is **also approved for Zones 0 and 1**, expanding minimally invasive repair of all lesions involving the aortic arch.



Zones 0 and 1:

Provides an alternative to open surgical repair and reduces the risk of complication of procedures like sternotomy, cardiopulmonary bypass and circulatory arrest.



Zone 2:

Offers a demonstrated solution that preserves flow to the left subclavian artery (LSA) without the potential risks and complexity of surgical revascularization.

Together, improving life



Performance you can trust for ZONES 0 AND 1

TBE gives physicians an endovascular, on-label option to perfuse a single target vessel, resulting in less procedural burden for Zones 0 and 1 and delivering the results you expect.

1.5%

1.5% Type Ia endoleaks through 12 months. No protocol defined reinterventions for Type Ia endoleaks¹

93.5%

93.5% Freedom from reintervention through 1 year (protocol defined reintervention)¹

98.6%

98.6% Side branch patency through 1 year¹

- Zone 0: n = 0 occlusions
- Zone 1: n = 1 occlusion*

* Did not require intervention

100%

100% Freedom from permanent paraplegia, paraparesis through 30 days¹

Zone 0 depicted

ZONE 2

TBE combines conformability and durability with the confidence that comes from using a proven solution from Gore.

1.3%

1.3% Type Ia endoleaks through 3 years^a
2 protocol defined reinterventions^b for Type Ia endoleaks²

97.1%

97.1% Freedom from reintervention through 1 year (protocol defined reintervention)³

99.2%

99.2% Side branch patency through 3 years^{2,a}

99%

99% Freedom from permanent paraplegia, paraparesis through 30 days³

EXPLORE LESS-INVASIVE TREATMENT OPTIONS

GORE® TAG®
Thoracic Branch
Endoprosthesis (TBE)



Consider TBE for your next aortic arch repair — whether it's Zone 0, 1 or 2. From pre-case planning to device procedural consultation, we are by your side to provide support.



Expand your options:

www.goremedical.com/en-emea/products/thoracic-branch-endoprosthesis

^a Core lab reported, 3 year (Total Through 36 Months(1-1275 days))

^b Embolization and thoracic stent graft placement were the reinterventions.

References

1. Butterfield K, Hsu M, Powis S, Thon M. *Evaluation of the GORE® TAG® Thoracic Branch Endoprosthesis (TBE Device) in the Treatment of Lesions of the Aortic Arch (Pivotal): Zone 0/1*. Flagstaff, AZ: W. L. Gore & Associates, Inc; 2024. [SSB 11-02 Pivotal Pre-Market Approval Study Report]. MD200865. Rev 1.
2. Data on file 2024; W. L. Gore & Associates, Inc; Flagstaff, AZ.
3. Brown J, Gorman J, Sondreaal M, Powis S. *Evaluation of the GORE® TAG® Thoracic Branch Endoprosthesis (TBE Device) in the Treatment of Lesions of the Descending Thoracic Aorta (Pivotal): Zone 2*. Flagstaff, AZ: W. L. Gore & Associates, Inc; 2021. [SSB 11-02 Pivotal Pre-Market Approval Study Report]. MD185099. Rev 1.



Consult Instructions
for Use
eifu.goremedical.com

Refer to *Instructions for Use* at eifu.goremedical.com for a complete description of all applicable indications, warnings, precautions and contraindications for the markets where this product is available. ^{Rx} Only

Products listed may not be available in all markets.

© 2025 W. L. Gore & Associates GmbH. All rights reserved. All trademarks referenced are trademarks of either a member of the Gore group of affiliated companies or their respective owners. "Together, improving life" mark and design are trademarks of a Gore company. 25AR2198-EN01 OCTOBER 2025

W. L. Gore & Associates, Inc.
goremedical.com

Asia Pacific +65 6733 2882 **Australia/New Zealand** 1800 680 424 **Europe** 00800 6334 4673
United States Flagstaff, AZ 86004 800 437 8181 928 779 2771

