




**GORE® Tri-Lobe Balloon Catheter** 

**GORE® Molding & Occlusion Balloon** 

Each accessory plays a key role in supporting our best-in-class EVAR and TEVAR devices, promoting positive outcomes.



#### GORE® DrySeal Flex Introducer Sheath

- Deliver with ease: Hydrophilic coating and enhanced flexibility provide exceptional access to challenging anatomies and branch vessels.
- Minimize blood loss: Exclusive DrySeal valve enables introduction of multiple devices with proven hemostasis control.
- Care for more patients: Optimized profile and configurations provide tailored delivery options for a broad range of patient anatomy.
- Complete confidence: Engineered for use with our endovascular portfolio.



### GORE® Molding & Occlusion Balloon Catheter

- Optimize seal: Proven radial expansion force across the range of EVAR device sizes (10–37 mm).
- Minimize risk: Engineered with the lowest profile to reduce access-related complications.
- Enhance control: Designed for excellent pushability and trackability with uncompromised inflation/deflation time.



#### GORE® Tri-Lobe Balloon Catheter

- Continuous blood flow: Unique design allows flow around the lobes while inflated.
- Decreased hemodynamic pressure on the inflated balloons with approximately 80% of flow for distal perfusion.<sup>1</sup>
- Minimizes potential for endoprosthesis movement and blood pressure spikes post deployment due to significantly reduced hemodynamic pressures.<sup>2</sup>
- Rapid, uniform and simultaneous inflation and deflation.



## GORE® DrySeal Flex Introducer Sheath

Catalogue number	Sheath size (Fr)	Minimum sheath ID (mm)	Nominal sheath OD (mm)	Working length (cm)
DSF1033	10	3.3	4.0	33
DSF1045	10	3.3	4.0	45
DSF1065	10	3.3	4.0	65
DSF1233	12	4.0	4.7	33
DSF1245	12	4.0	4.7	45
DSF1265	12	4.0	4.7	65
DSF1433	14	4.7	5.3	33
DSF1465	14	4.7	5.3	65
DSF1533	15	5.0	5.6	33
DSF1633	16	5.3	6.1	33
DSF1665	16	5.3	6.1	65
DSF1833	18	6.0	6.7	33
DSF1865	18	6.0	6.7	65
DSF2033	20	6.7	7.5	33
DSF2065	20	6.7	7.5	65
DSF2233	22	7.3	8.2	33
DSF2265	22	7.3	8.2	65
DSF2433	24	8.0	8.8	33
DSF2465	24	8.0	8.8	65
DSF2633	26	8.7	9.5	33
DSF2665	26	8.7	9.5	65

# GORE® Tri-Lobe Balloon Catheter GORE® Molding & Occlusion Balloon Catheter

Catalogue number	Inner vessel diameter (mm)	Catalogue number	Size (Fr)	Balloon diameter (mm)	Catheter length (cm)
BCM1634	16–32	MOB37	10	10-37	90
BCL2645	26-42				


<sup>1.</sup> Bloss R, Krall B. Balloon Testing on Pulse Duplicator. Flagstaff, AZ: W. L. Gore & Associates, Inc.; 2009. [Technology notebook]. 1088.

Consult Instructions for Use eifu.goremedical.com

Refer to Instructions for Use at eifu.goremedical.com for a complete description of all applicable indications, warnings, precautions and contraindications for the markets where this product is available.  $R_{\Sigma \, \text{Only}}$ 

Products listed may not be available in all markets.

GORE, Together, improving life and designs are trademarks of W. L. Gore & Associates. © 2021 W. L. Gore & Associates, Inc. 2152804-EN APRIL 2021



goremedical.com



<sup>2.</sup> Gendron M. Simulated Use Testing of Aortic Balloon Catheter for Design Verification – Final Amendment. Flagstaff, AZ: W. L. Gore & Associates, Inc; 2008. [Work plan]. MD39672.