# GORE® TAG® Conformable Thoracic Stent Graft with ACTIVE CONTROL System

New levels of control delivering intraoperative TEVAR precision for hospital efficiency



## Hospitals can count on efficient and reliable TEVAR outcomes even in challenging patient anatomies

**Low rates of reintervention (3%)[1]**

- Conformable stent graft adapts to the patient anatomy
- Built on the established success of the Conformable GORE® TAG® Device, one of the most trusted TEVAR devices on the market

**Helps reduce the potential for complications**

- New delivery system offers staged, controlled deployment

**Value through efficiency**

- Stock fewer devices while treating a broad range of patients
- Designed to reduce procedure time through intraoperative accuracy

For information on how this can impact your patient outcomes contact your local sales associate

**goremedical.com/active-control**

GORE
*Creative Technologies Worldwide*

1. W. L. Gore & Associates. 'GREAT' Global Registry for Endovascular Aortic Treatment - Outcomes Evaluation. Bethesda, MD: National Library of Medicine; 2012. Available from: https://clinicaltrials.gov/ct2/show/NCT01658787. NLM Identifier: NCT01658787. Published August 3, 2012. Updated: October 27, 2016. Accessed: Accessed June 22, 2017

## GORE® TAG® Conformable Thoracic Stent Graft with ACTIVE CONTROL System

| Catalogue number | Intended aortic diameter (mm) | Proximal diameter (mm) | Distal diameter (mm) | Endoprosthesis length (cm) | Recommended GORE® Dryseal Flex Introducer Sheath size (fr) | Oversizing range (%) | Partially uncovered stent length (mm) |
|---|---|---|---|---|---|---|---|
| TGM212110 | 16–19.5 | 21 | 21 | 10 | 18 | 8–31 | 3 |
| TGM262110 | 19.5–24 / 16–19.5 | 26 | 21 | 10 | 20 | 8–33 | 4 |
| TGM262610 | 19.5–24 | 26 | 26 | 10 | 20 | 8–33 | 4 |
| TGM282810 | 22–26 | 28 | 28 | 10 | 20 | 8–27 | 4 |
| TGM282815 | 22–26 | 28 | 28 | 15 | 20 | 8–27 | 4 |
| TGMR312610 | 24–29 / 19.5–24 | 31 | 26 | 10 | 20 | 7–33 | 4 |
| TGMR313110 | 24–29 | 31 | 31 | 10 | 20 | 7–29 | 4 |
| TGMR313115 | 24–29 | 31 | 31 | 15 | 20 | 7–29 | 4 |
| TGMR313120 | 24–29 | 31 | 31 | 20 | 20 | 7–29 | 4 |
| TGM343410 | 27–32 | 34 | 34 | 10 | 22 | 6–26 | 5 |
| TGM343415 | 27–32 | 34 | 34 | 15 | 22 | 6–26 | 5 |
| TGM343420 | 27–32 | 34 | 34 | 20 | 22 | 6–26 | 5 |
| TGMR373710 | 29–34 | 37 | 37 | 10 | 22 | 9–28 | 5 |
| TGMR373715 | 29–34 | 37 | 37 | 15 | 22 | 9–28 | 5 |
| TGMR373720 | 29–34 | 37 | 37 | 20 | 22 | 9–28 | 5 |
| TGMR404010 | 31–37 | 40 | 40 | 10 | 22 | 8–29 | 6 |
| TGMR404015 | 31–37 | 40 | 40 | 15 | 22 | 8–29 | 6 |
| TGMR404020 | 31–37 | 40 | 40 | 20 | 22 | 8–29 | 6 |
| TGM454510 | 34–42 | 45 | 45 | 10 | 24 | 7–32 | 6.5 |
| TGM454515 | 34–42 | 45 | 45 | 15 | 24 | 7–32 | 6.5 |
| TGM454520 | 34–42 | 45 | 45 | 20 | 24 | 7–32 | 6.5 |


GORE
Creative Technologies Worldwide

**W. L. Gore & Associates, Inc.**
Flagstaff, AZ 86004

+65.67332882 (Asia Pacific)
00800.6334.4673 (Europe)
800.437.8181 (United States)
928.779.2771 (United States)

goremedical.com


**INDICATIONS FOR USE IN THE U.S.:** The GORE® TAG® Conformable Thoracic Stent Graft is intended for endovascular repair of all lesions of the descending thoracic aorta, including: Isolated lesions in patients who have appropriate anatomy, including: adequate iliac / femoral access, aortic inner diameter in the range of 16–42 mm, ≥ 20 mm non-aneurysmal aorta proximal and distal to the lesion; Type B dissections in patients who have appropriate anatomy, including: adequate iliac / femoral access, ≥ 20 mm landing zone proximal to the primary entry tear; proximal extent of the landing zone must not be dissected, diameter at proximal extent of proximal landing zone in the range of 16–42 mm. **CONTRAINDICATIONS:** Patients with known sensitivities or allergies to the device materials; patients who have a condition that threatens to infect the graft. Refer to *Instructions for Use* at goremedical.com for a complete description of all warnings, precautions, and adverse events. **INDICATIONS FOR USE UNDER CE MARK:** The GORE® TAG® Conformable Thoracic Stent Graft is indicated for endovascular repair of the descending thoracic aorta. **CONTRAINDICATIONS:** Patients with known sensitivities or allergies to the device materials; patients with a systemic infection who may be at increased risk of endovascular graft infection. Refer to *Instructions for Use* at goremedical.com for a complete description of all warnings, precautions, and adverse events. ℞ Only

Products listed may not be available in all markets.