SUFFERING FROM CIRRHOSIS AND PORTAL HYPERTENSION?

Treatment options


If you have progressive or worsening liver **cirrhosis** and **portal hypertension,** your doctor may recommend one or more treatment options:

- Lifestyle modifications
- Medication in combination with a low salt diet
- Paracentesis, a needle drainage of ascites fluid accumulating in your abdomen
- Banding or injections to treat enlarged veins in your esophagus or stomach

New evidence

If those treatments are not effective, your doctor may suggest a **transjugular intrahepatic portosystemic shunt** (TIPS) procedure. Medical data show that performing this procedure earlier in your care may produce better outcomes.*

Ask your doctor for more information on the latest clinical studies about **earlier TIPS** and the effect on survival and symptoms.



Discover TIPS earlier

TIPS is a **minimally invasive procedure** in which a new path is made through the liver to carry blood from the **portal vein** to the heart, thus helping to alleviate the complications associated with elevated **portal vein** pressure.

Potential benefits of TIPS*

Minimally invasive for reduced recovery time.

Reduces portal hypertension and potentially the associated symptoms — ascites and varices.

Improves quality of life due to the possibility of reduced need for paracentesis and endoscopic therapy.

Less time spent in the hospital is possible.



Together, improving life

^{*} Visit rethinkTIPS.com for more information and outcomes data.