



GORE® DRYSEAL


Flex Introducer Sheath

ADVANCING CARE THROUGH ACCESS


Designed with flexibility and
kink resistance to treat more
challenging anatomies.



Together, improving life



Hydrophilic coating and enhanced flexibility provide exceptional access to challenging anatomies and branch vessels.




- Distinct combination of enhanced flexibility and kink resistance
- Excellent sheath lubricity designed to minimize coating particulation

Exclusive GORE® DRYSEAL Valve enables introduction of multiple devices with proven hemostasis control



Deliver with ease and minimize blood loss; care for more patients with complete confidence

- Accommodate multiple wires and catheters through the valve simultaneously with minimal blood loss
- Facilitate hemostasis without intraprocedural manipulation of the valve



Optimized profile and configurations provide tailored delivery options for a broader range of patient anatomy


- Decreased sheath wall thickness for larger inner diameter and decreased outer diameter
- Additional working lengths of 33/45/65 cm to care for more patients



Engineered for use with our endovascular portfolio

- Constricting sleeve: Enables use with the exclusive GORE® DRYSEAL Valve.
- Pressurized valve: Creates a squeegee effect, removing air from the constrained device during insertion.

The GORE® DRYSEAL Flex Introducer Sheath with hydrophilic coating consists of an introducer sheath with GORE® DRYSEAL Valve attached, a dilator and a 2.5 ml valve inflation syringe.



Catalogue number*	Sheath size (Fr)	Length (cm)	Minimum sheath ID (mm)	Nominal body OD (mm)	Sheath effective length (cm)	Sheath working length (cm)	Assembly length (cm)	Dilator length (cm)
GDSF1033	10	33	3.3	4.0	32	33	39	42.4
GDSF1045	10	45	3.3	4.0	44	45	51	54.4
GDSF1065	10	65	3.3	4.0	64	65	71	74.4
GDSF1133	11	33	3.7	4.3	32	33	39	42.7
GDSF1233	12	33	4.0	4.7	32	33	39	42.9
GDSF1245	12	45	4.0	4.7	44	45	51	55.1
GDSF1265	12	65	4.0	4.7	64	65	71	74.9
GDSF1433	14	33	4.7	5.3	32	33	39	43.7
GDSF1465	14	65	4.7	5.3	64	65	71	75.7
GDSF1533	15	33	5.0	5.6	32	33	39	43.9
GDSF1633	16	33	5.3	6.1	32	33	39	44.2
GDSF1665	16	65	5.3	6.1	64	65	71	76.2
GDSF1833	18	33	6.0	6.7	32	33	39	45.0
GDSF1865	18	65	6.0	6.7	64	65	71	77.0
GDSF2033	20	33	6.7	7.5	32	33	39	45.5
GDSF2065	20	65	6.7	7.5	64	65	71	77.5
GDSF2233	22	33	7.3	8.2	32	33	39	46.2
GDSF2265	22	65	7.3	8.2	64	65	71	78.0
GDSF2433	24	33	8.0	8.8	32	33	39	46.7
GDSF2465	24	65	8.0	8.8	64	65	71	78.7
GDSF2633	26	33	8.7	9.5	32	33	39	47.5
GDSF2665	26	65	8.7	9.5	64	65	71	79.5

* GDSF catalogue numbers are not available in all regions; use DSF catalogue numbers instead where appropriate.

 Consult Instructions for Use
eifu.goremedical.com

Refer to *Instructions for Use* at eifu.goremedical.com for a complete description of all applicable indications, warnings, precautions and contraindications for the markets where this product is available. Rx Only

INDICATIONS FOR USE: The GORE® DRYSEAL Flex Introducer Sheath is intended to be inserted in the vasculature to provide a conduit for the insertion of endovascular devices while minimizing blood loss associated with such insertions.

CONTRAINDICATIONS: There are no known contraindications for this device.

Products listed may not be available in all markets.

GORE, *Together, improving life*, DRYSEAL, EXCLUDER and designs are trademarks of W. L. Gore & Associates.
© 2020, 2024, 2026 W. L. Gore & Associates, Inc. 24AR1197-EN02 JANUARY 2026

W. L. Gore & Associates, Inc.
goremedical.com

Asia Pacific +65 67332882 Australia/New Zealand 1800 680 424 Europe 00800 6334 4673
United States Flagstaff, AZ 86004 800 437 8181 928 779 2771

