

GORE® TAG®

Conformable Thoracic Stent Graft
with ACTIVE CONTROL System



SURPASS* is an observational, prospective, single-arm post-market registry. 20 European sites in seven countries are included.

ZERO

- Type Ia and Type III endoleaks
- Fractures
- Device compressions
- Ruptures

100%

Successful deployment

98.4%


With no device-related issues

97.2%

Freedom from serious access complications

Aortic pathology treated:

- Treatment of Type B dissection (complicated / uncomplicated)
- Descending thoracic aortic aneurysms (Including ruptures)
- Penetrating aortic ulcers
- Traumatic aortic transection
- Intramural hematoma
- Pseudoaneurysm



98.4%

Reported that proximal wall apposition was acceptable at procedural completion

1.38

Devices per procedure

92.9%

No rapid pacing used

* Rates are based on physician experience as reported for 127 subjects in Europe within a 30 day follow-up period.

European-Post Approval Registry: Observational Registry Characterizing the Performance and Feature Use of the GORE® TAG® Conformable Thoracic Stent Graft Featuring ACTIVE CONTROL System. (data on file 2017; W.L. Gore & Associates, Inc; Flagstaff, AZ.)

Consult Instructions
for Use
eifu.goremedical.com

INDICATIONS FOR USE IN THE U.S.: The GORE® TAG® Conformable Thoracic Stent Graft is intended for endovascular repair of all lesions of the descending thoracic aorta, including: isolated lesions in patients who have appropriate anatomy, including: adequate iliac/femoral access, aortic inner diameter in the range of 16-42 mm, ≥ 20 mm non-aneurysmal aorta proximal and distal to the lesion; Type B dissections in patients who have appropriate anatomy, including: adequate iliac/femoral access, ≥ 20 mm landing zone proximal to the primary entry tear; proximal extent of the landing zone must not be dissected, diameter at proximal extent of proximal landing zone in the range of 16-42 mm. **CONTRAINDICATIONS:** Patients with known sensitivities or allergies to the device materials; patients who have a condition that threatens to infect the graft. Refer to *Instructions for Use* at eifu.goremedical.com for a complete description of all applicable indications, warnings, precautions and contraindications for the markets where this product is available. Rx Only **INDICATIONS FOR USE UNDER CE MARK:** The GORE® TAG® Conformable Thoracic Stent Graft is indicated for endovascular repair of all lesions of the descending thoracic aorta, including isolated lesions, such as aneurysm and traumatic transection, and Type B dissections. **CONTRAINDICATIONS:** Patients with known sensitivities or allergies to the device materials; patients with a systemic infection who may be at increased risk of endovascular graft infection. Refer to *Instructions for Use* at eifu.goremedical.com for a complete description of all applicable indications, warnings, precautions and contraindications for the markets where this product is available. Rx Only

Products listed may not be available in all markets.

GORE, Together, improving life, ACTIVE CONTROL, TAG and designs are trademarks of W. L. Gore & Associates.

© 2019, 2022 W. L. Gore & Associates, Inc. 22618259-EN JULY 2022

W. L. Gore & Associates, Inc.
goremedical.com

Asia Pacific +65 67332882 Australia / New Zealand 1800 680 424 Europe 00800 6334 4673
United States Flagstaff, AZ 86004 800 437 8181 928 779 2771

