

GORE® TAG®

Thoracic Branch Endoprosthesis

HOSPITAL INPATIENT CODING GUIDE 2027

Together, improving life



The reimbursement information provided by W. L. Gore & Associates, Inc., ("Gore") is presented for your convenience and general information purposes only. The information does not constitute legal advice and is subject to change without notice. The information is obtained from publicly available third-party sources and does not guarantee coverage or payment for services performed in any particular procedure utilizing any products manufactured or supplied by Gore.

Gore has used reasonable efforts to ensure the completeness and accuracy of the information contained herein as of the date this document was published. Health care providers are responsible for exercising their independent clinical judgment and following specific coverage guidelines and payer directives in selecting the codes that reflect the patient's condition and the services provided. Health care providers should contact the individual Medicare contractor or other third-party payer if they have questions regarding reimbursement. Gore does not promote its products outside of their FDA-cleared or approved labeled indications.

GORE® TAG® Thoracic Branch Endoprosthesis

GORE® TAG® Thoracic Branch Endoprosthesis (TBE) is indicated for endovascular repair of lesions of the aortic arch and descending thoracic aorta, while maintaining flow into a single aortic arch branch vessel.^a

TBE consists of the Aortic Component, the Side Branch (SB) Component, and an optional Aortic Extender. TBE is made of expanded polytetrafluoroethylene (ePTFE) with an outer metallic support structure known as a stent.

FDA Breakthrough Device Designation

The device was granted priority review status on July 17, 2015. This was based on meeting required criteria:

- Intended to treat a potentially life-threatening disease
- Potential to provide a clinically meaningful advantage over existing legally marketed technology
- Offering significant clinically meaningful advantages over existing legally marketed alternatives
- Availability is in the best interest of patients




Figure 1. GORE® TAG® Thoracic Branch Endoprosthesis deployed in the left subclavian artery and the descending thoracic aorta




Figure 2. GORE® TAG® Thoracic Branch Endoprosthesis deployed in the brachiocephalic artery and the aortic arch

a. Refer to *Instructions for Use* at eifu.goremedical.com for a complete description of all applicable indications, warnings, precautions and contraindications for the markets where this product is available. Rx Only

Table 1: Centers for Medicare & Medicaid Services (CMS) Fiscal Year 2027 Medicare Severity Diagnosis Related Groups (MS-DRGs)¹

The following MS-DRGs are assigned for the TBE procedures. Other MS-DRGs may apply based on documented procedures performed, patient's condition, or complications.

Medicare Inpatient Prospective Payment System (IPPS)

MS-DRG	Description	Relative weight	Medicare national unadjusted amount
209	Complex aortic arch procedures	-11.521	\$85,118.00

Reference: <https://www.cms.gov/medicare/payment/prospective-payment-systems/acute-inpatient-pps/fy-2027-pps-final-rule-home-page>

Table 2: International Classification of Diseases (ICD)-10-PCS¹⁻³

For all procedures, document and code as applicable.

Code applicable per TBE placement ICD-10-PCS	Description
TBE 02VX3EZ (Zone 2)	Restriction of thoracic aorta, ascending/arch with branched or fenestrated intraluminal device, one or two arteries, percutaneous approach
with 02VW3DZ	Restriction of thoracic aorta, descending with intraluminal device, percutaneous approach
or TBE 02VX3EZ (Zone 0, Zone 1)	Restriction of thoracic aorta, ascending/arch with branched or fenestrated intraluminal device, one or two arteries, percutaneous approach
with one of the following:	
031209K	Bypass innominate artery to left extracranial artery with autologous venous tissue, open approach
031209Y	Bypass innominate artery to upper artery with autologous venous tissue, open approach
03120AK	Bypass innominate artery to left extracranial artery with autologous arterial tissue, open approach
03120AY	Bypass innominate artery to upper artery with autologous arterial tissue, open approach
03120JK	Bypass innominate artery to left extracranial artery with synthetic substitute, open approach
03120JY	Bypass innominate artery to upper artery with synthetic substitute, open approach
03120KK	Bypass innominate artery to left extracranial artery with nonautologous tissue substitute, open approach
03120KY	Bypass innominate artery to upper artery with nonautologous tissue substitute, open approach
03120ZK	Bypass innominate artery to left extracranial artery, open approach
03120ZY	Bypass innominate artery to upper artery, open approach
031409J	Bypass left subclavian artery to right extracranial artery with autologous venous tissue, open approach
031409K	Bypass left subclavian artery to left extracranial artery with autologous venous tissue, open approach
03140AJ	Bypass left subclavian artery to right extracranial artery with autologous arterial tissue, open approach
03140AK	Bypass left subclavian artery to left extracranial artery with autologous arterial tissue, open approach

Table 2: International Classification of Diseases (ICD)-10-PCS (continued)¹⁻³

Code applicable per TBE placement ICD-10-PCS	Description
03140JJ	Bypass left subclavian artery to right extracranial artery with synthetic substitute, open approach
03140JK	Bypass left subclavian artery to left extracranial artery with synthetic substitute, open approach
03140KJ	Bypass left subclavian artery to right extracranial artery with nonautologous tissue substitute, open approach
03140KK	Bypass left subclavian artery to left extracranial artery with nonautologous tissue substitute, open approach
03140ZJ	Bypass left subclavian artery to right extracranial artery, open approach
03140ZK	Bypass left subclavian artery to left extracranial artery, open approach
031J09J	Bypass left common carotid artery to right extracranial artery with autologous venous tissue, open approach
031J09K	Bypass left common carotid artery to left extracranial artery with autologous venous tissue, open approach
031J09Y	Bypass left common carotid artery to upper artery with autologous venous tissue, open approach
031J0AJ	Bypass left common carotid artery to right extracranial artery with autologous arterial tissue, open approach
031J0AK	Bypass left common carotid artery to left extracranial artery with autologous arterial tissue, open approach
031J0AY	Bypass left common carotid artery to upper artery with autologous arterial tissue, open approach
031J0JJ	Bypass left common carotid artery to right extracranial artery with synthetic substitute, open approach
031J0JK	Bypass left common carotid artery to left extracranial artery with synthetic substitute, open approach
031J0JY	Bypass left common carotid artery to upper artery with synthetic substitute, open approach
031J0KJ	Bypass left common carotid artery to right extracranial artery with nonautologous tissue substitute, open approach
031J0KK	Bypass left common carotid artery to left extracranial artery with nonautologous tissue substitute, open approach
031J0KY	Bypass left common carotid artery to upper artery with nonautologous tissue substitute, open approach
031J0ZJ	Bypass left common carotid artery to right extracranial artery, open approach
031J0ZK	Bypass left common carotid artery to left extracranial artery, open approach
031J0ZY	Bypass left common carotid artery to upper artery, open approach
03L40CZ	Occlusion of left subclavian artery with extraluminal device, open approach
03L40DZ	Occlusion of left subclavian artery with intraluminal device, open approach
03L40ZZ	Occlusion of left subclavian artery, open approach
03L43CZ	Occlusion of left subclavian artery with extraluminal device, percutaneous approach
03L43DZ	Occlusion of left subclavian artery with intraluminal device, percutaneous approach
03L43ZZ	Occlusion of left subclavian artery, percutaneous approach
03L44CZ	Occlusion of left subclavian artery with extraluminal device, percutaneous endoscopic approach

Table 2: International Classification of Diseases (ICD)-10-PCS (continued)¹⁻³

Code applicable per TBE placement ICD-10-PCS	Description
03L44DZ	Occlusion of left subclavian artery with intraluminal device, percutaneous endoscopic approach
03L44ZZ	Occlusion of left subclavian artery, percutaneous endoscopic approach
03LJ0BZ	Occlusion of left common carotid artery with bioactive intraluminal device, open approach
03LJ0CZ	Occlusion of left common carotid artery with extraluminal device, open approach
03LJ0DZ	Occlusion of left common carotid artery with intraluminal device, open approach
03LJ0ZZ	Occlusion of left common carotid artery, open approach
03LJ3BZ	Occlusion of left common carotid artery with bioactive intraluminal device, percutaneous approach
03LJ3CZ	Occlusion of left common carotid artery with extraluminal device, percutaneous approach
03LJ3DZ	Occlusion of left common carotid artery with intraluminal device, percutaneous approach
03LJ3ZZ	Occlusion of left common carotid artery, percutaneous approach
03LJ4BZ	Occlusion of left common carotid artery with bioactive intraluminal device, percutaneous endoscopic approach
03LJ4CZ	Occlusion of left common carotid artery with extraluminal device, percutaneous endoscopic approach
03LJ4DZ	Occlusion of left common carotid artery with intraluminal device, percutaneous endoscopic approach
03LJ4ZZ	Occlusion of left common carotid artery, percutaneous endoscopic approach

ICD-10-CM/PCS MS-DRG v44.0 Definitions Manual. https://www.cms.gov/icd10m/FY2027-nprm-v44-fullcode-cms/fullcode_cms/P0117.html

Table 3: Current Procedural Terminology (CPT®) Code

Surgery/cardiovascular system

CPT® Code 33882 should be utilized to report TBE Z2 and Miscellaneous code 33999 should be utilized to report Z0 and Z1 TBE procedures. Code with all other interventions applicable.

CPT® Code	Description	Pro fee facility total relative value units (RVUs)	Pro fee facility adjusted partial payment
33882	Endovascular repair of the thoracic aorta by deployment of a branched endograft multipiece system involving an aorto-aortic tube device with a fenestration for the left subclavian artery stentgraft(s) and all aortic tube endograft extension(s) placed from the level of the left common carotid artery to the celiac artery.	52.78	\$1,763.00
33999	Unlisted procedure, cardiac surgery	0.00	\$0.00

NOC, Miscellaneous coding. <https://www.cms.gov/regulations-and-guidance/guidance/manuals/downloads/clm104c26pdf.pdf>

TBE Zone 2 Sample CMS-1450 (UB-04) Claim Form^{1,2,4,b,c}

The information below refers to the paper format of the CMS-1450 (UB-04). Providers submitting claims for TBE via electronic software systems are urged to translate claim information into compatible formats for input into their software system.


1		2		3a PAT. CNTRL. # b. MED. REC. #		4 TYPE OF BILL	
5 FED. TAX NO.		6 STATEMENT COVERS PERIOD FROM		7 THROUGH			
8 PATIENT NAME		a		9 PATIENT ADDRESS		a	
10 BIRTHDATE		11 SEX		12 DATE		13 ADMISSION 13 HR 14 TYPE 15 SRC 16 DHR 17 STAT	
18		19		20		21	
22		23		24		25	
26		27		28		29 ACCT STATE	
30		31		32		33	
34		35		36		37	
38		39		40		41	
42		43		44		45	
46		47		48		49	
50		51		52		53	
54		55		56		57	
58		59		60		61	
62		63		64		65	
66		67		68		69	
70		71		72		73	
74		75		76		77	
78		79		80		81	
82		83		84		85	
86		87		88		89	
90		91		92		93	
94		95		96		97	
98		99		100		101	
102		103		104		105	
106		107		108		109	
110		111		112		113	
114		115		116		117	
118		119		120		121	
122		123		124		125	
126		127		128		129	
130		131		132		133	
134		135		136		137	
138		139		140		141	
142		143		144		145	
146		147		148		149	
150		151		152		153	
154		155		156		157	
158		159		160		161	
162		163		164		165	
166		167		168		169	
170		171		172		173	
174		175		176		177	
178		179		180		181	
182		183		184		185	
186		187		188		189	
190		191		192		193	
194		195		196		197	
198		199		200		201	
202		203		204		205	
206		207		208		209	
210		211		212		213	
214		215		216		217	
218		219		220		221	
222		223		224		225	
226		227		228		229	
230		231		232		233	
234		235		236		237	
238		239		240		241	
242		243		244		245	
246		247		248		249	
250		251		252		253	
254		255		256		257	
258		259		260		261	
262		263		264		265	
266		267		268		269	
270		271		272		273	
274		275		276		277	
278		279		280		281	
282		283		284		285	
286		287		288		289	
290		291		292		293	
294		295		296		297	
298		299		300		301	
302		303		304		305	
306		307		308		309	
310		311		312		313	
314		315		316		317	
318		319		320		321	
322		323		324		325	
326		327		328		329	
330		331		332		333	
334		335		336		337	
338		339		340		341	
342		343		344		345	
346		347		348		349	
350		351		352		353	
354		355		356		357	
358		359		360		361	
362		363		364		365	
366		367		368		369	
370		371		372		373	
374		375		376		377	
378		379		380		381	
382		383		384		385	
386		387		388		389	
390		391		392		393	
394		395		396		397	
398		399		400		401	
402		403		404		405	
406		407		408		409	
410		411		412		413	
414		415		416		417	
418		419		420		421	
422		423		424		425	
426		427		428		429	
430		431		432		433	
434		435		436		437	
438		439		440		441	
442		443		444		445	
446		447		448		449	
450		451		452		453	
454		455		456		457	
458		459		460		461	
462		463		464		465	
466		467		468		469	
470		471		472		473	
474		475		476		477	
478		479		480		481	
482		483		484		485	
486		487		488		489	
490		491		492		493	
494		495		496		497	
498		499		500		501	
502		503		504		505	
506		507		508		509	
510		511		512		513	
514		515		516		517	
518		519		520		521	
522		523		524		525	
526		527		528		529	
530		531		532		533	
534		535		536		537	
538		539		540		541	
542		543		544		545	
546		547		548		549	
550		551		552		553	
554		555		556		557	
558		559		560		561	
562		563		564		565	
566		567		568		569	
570		571		572		573	
574		575		576		577	
578		579		580		581	
582		583		584		585	
586		587		588		589	
590		591		592		593	
594		595		596		597	
598		599		600		601	
602		603		604		605	
606		607		608		609	
610		611		612		613	
614		615		616		617	
618		619		620		621	
622		623		624		625	
626		627		628		629	
630		631		632		633	
634		635		636		637	
638		639		640		641	
642		643		644		645	
646		647		648		649	
650		651		652		653	
654		655		656		657	
658		659		660		661	
662		663		664		665	
666		667		668		669	
670		671		672		673	
674		675		676		677	
678		679		680		681	
682		683		684		685	
686		687		688		689	
690		691		692		693	
694		695		696		697	
698		699		700		701	
702		703		704		705	
706		707		708		709	
710		711		712		713	
714		715		716		717	
718		719		720		721	
722		723		724		725	
726		727		728		729	
730		731		732		733	
734		735		736		737	
738		739		740		741	
742		743		744		745	
746		747		748		749	
750		751		752		753	
754		755		756		757	
758		759		760		761	
762		763		764		765	
766		767		768		769	
770		771		772		773	
774		775		776		777	
778		779		780		781	
782		783		784		785	
786		787		788		789	
790		791		792		793	
794		795		796		797	
798		799		800		801	
802		803		804		805	
806		807		808		809	
810		811		812		813	
814		815		816		817	
818		819		820		821	
822		823		824		825	
826		827		828		829	
830		831		832		833	
834		835		836		837	
838		839		840		841	
842		843		844		845	
846		847		848		849	
850		851		852		853	
854		855		856		857	
858		859		860		861	
862		863		864		865	
866		867		868		869	
870		871		872		873	
874		875		876		877	
878		879		880		881	
882		883		884		885	
886		887		888		889	
890		891					

Procedural Steps—Zone 2 Only

The procedure for implanting TBE consists of the delivery of the stent grafts into the aorta and the left subclavian artery. While the endovascular procedure is similar for trauma or dissection repair, below is an example of the steps included in an aneurysm repair.

The main body stent graft is implanted using fluoroscopy, or real-time x-ray images, and is viewed on a monitor following these steps:


1. The delivery catheter, which contains the stent graft, is inserted into the femoral or iliac artery and carefully guided through the abdomen into the chest to the site of the diseased or injured aorta.
2. Once the stent graft is correctly positioned in the aorta and aligned with the left subclavian artery, it is released, or deployed, from the delivery catheter. The device self-expands to the diameter of the aorta and the delivery catheter is withdrawn from the body.
3. A second, smaller stent graft is inserted into the femoral or iliac artery and positioned through the opening of the first stent graft into the left subclavian artery.
4. Once the second stent graft is correctly positioned within the left subclavian artery, it is released, or deployed, from the delivery catheter. The delivery catheter is then removed.
5. Following deployment, an endovascular balloon may be inflated inside the device to aid the device in opening completely, allowing the device to achieve better seal.




Positioning Aortic Component at left subclavian artery



Deployment of Aortic Component



Positioning of Side Branch Component into left subclavian artery



Final GORE® TAG® Thoracic Branch Endoprosthesis system

In some cases, it may be necessary to utilize an additional component(s) to extend proximal into the aortic arch or distal into the descending aorta. Physicians determine the actual devices utilized based on individual patient needs.

References

1. Centers for Medicare & Medicaid Services, Department of Health & Human Services. *ICD-10-CM/PCS MS-DRG v44.0 Definitions Manual*. Centers for Medicare & Medicaid Services; 2026. Accessed August 25, 2026. https://www.cms.gov/icd10m/FY2027-nprm-v44-fullcode-cms/fullcode_cms/PO117.html
2. ICD-10. Centers for Medicare & Medicaid Services. Updated August 21, 2026. Accessed August 25, 2026. <https://www.cms.gov/medicare/coding-billing/icd-10-codes>
3. Centers for Medicare & Medicaid Services. Physician Fee Schedule. Updated July 15, 2026. Accessed September 25, 2026. <https://www.cms.gov/medicare/payment/fee-schedules/physician>
4. National Uniform Billing Committee. American Hospital Association. Accessed August 25, 2026. <https://www.nubc.org/>

For coding and/or reimbursement support, contact the Gore Field Reimbursement Directors.



+1 800 248 8489



goremedical.com/coding



fieldreimbursementdirectors@wlgore.com

 Consult Instructions for Use
eifu.goremedical.com

Refer to *Instructions for Use* at eifu.goremedical.com for a complete description of all applicable indications, warnings, precautions and contraindications for the markets where this product is available. R_x Only

INDICATIONS FOR USE: The GORE® TAG® Thoracic Branch Endoprosthesis is indicated for endovascular repair of lesions of the aortic arch and descending thoracic aorta, while maintaining flow into a single aortic arch branch vessel in patients who have: **Adequate iliac/femoral access; Proximal Aortic Landing Zones:** For Isolated Lesion Patients: Proximal landing zone cannot be aneurysmal, dissected, heavily calcified or heavily thrombosed; For Dissection Patients: Primary entry tear must be distal to the target branch vessel and the proximal extent of the landing zone must not be dissected; Aortic inner diameter range 16–42 mm; Proximal segment length (length from distal edge of target branch vessel to the midpoint of any proximal branch vessel) of at least 2.0–4.0 cm, depending on Aortic Component selection; Proximal covered length (measured from distal edge of target branch vessel to the distal edge of any proximal branch vessel) of at least 15–36 mm, depending on Aortic Component selection; For patients with prior ascending aorta or aortic arch repair with surgical graft: at least 2 cm landing zone proximal to the distal anastomosis; **Target Branch Vessel Landing Zone:** Landing zone cannot be aneurysmal, dissected, heavily thrombosed and severely tortuous (180 degree turn within the treated length); Target branch vessel inner diameter of 6–18 mm, depending on Side Branch Portal diameter selected; Target branch vessel minimum length of 2.5–3.0 cm, depending on Side Branch Portal diameter selected. **Distal Landing Zone (Isolated Lesion Patients only):** Outer curve length must be $\geq$ 2 cm proximal to celiac artery; Aortic inner diameter range 16–42 mm; Cannot be aneurysmal, dissected, heavily calcified or heavily thrombosed; Native Aorta or previously placed GORE® TAG® Conformable Thoracic Stent Graft. **CONTRAINDICATIONS:** The GORE® TAG® Thoracic Branch Endoprosthesis is contraindicated in: Patients with known sensitivities or allergies to the device materials [ePTFE (polytetrafluoroethylene), FEP (fluoroethylpropylene), Nitinol (nickel, titanium), Gold, SB Component only - Heparin (CBAS® Heparin Surface)]; Patients who have a condition that threatens to infect the graft; Patients with known hypersensitivity to heparin, including those patients who have had a previous incident of Heparin-Induced Thrombocytopenia (HIT) type II.

Products listed may not be available in all markets.

© 2026 W. L. Gore & Associates, Inc. All rights reserved. All trademarks referenced are trademarks of either a member of the Gore group of affiliated companies or their respective owners. “Together, improving life” mark and designs are trademarks of a Gore company.
24PRI062-EN06 OCTOBER 2026 MAT-0202-2

W. L. Gore & Associates, Inc.
goremedical.com

Asia Pacific +65 67332882 Australia/New Zealand 1800 680 424 Europe 00800 6334 4673
United States Flagstaff, AZ 86004 800 437 8181 928 779 2771

